
NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011354-R5

DATE: 12/14/2012

CERTIFICATION PROGRAM: Fire

COMPANY: <u>Orepac</u>

CODE: <u>1234-1</u>

EXPIRATION DATE: <u>12/31/2024</u>

REVISION DATE: 02/28/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--------------------------------|--|
| Orepac Building Products, Inc. | 20 Minute Positive Pressure Fire Door |
| 30160 SW Orepac Avenue | Assemblies w/o Hose Stream |
| Wilsonville, OR 97070 | Manufacturer Specific Fire Doors for Single or Double Swing Installation in 20 Minute Locations |
| | 1/2" Minimum Latch Throw Single or Double Swing Only |
| | Maximum Size: 8'0" x 8'0" Minimum Thickness: 1-3/4" |

| SPECIFICATION | PRODUCT RATING |
|--------------------------------|---|
| NFPA 252 (1999) | 20 Minute-Positive Pressure |
| UL 10C (2009) | Without Hose Stream |
| UBC Standard 7-2 (1997) | Category B Door-Additional Edge Seal |
| , , | Required (unless specified in individual manufacturer's listing) |
| | For Use in Category C Frame |
| | (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing) |

TEST REPORT

Intertek Test Report No: AU10124008-1, 3073067, 3043898, 3058118-02, 3182549MID-005, 100644112MID-002, 100644112MID-004, 3178456MID-003, 3182549MID-005b, 100359215MID-010b, 3059877, J20012862-23, 3025659, 3137713COQ-007, 3151140COQ-004, 3168294MID-004b, 3004902, 3175675MID-004, 3058118-03, 3058118-02, 3187023MID-001, 3042535-1, 3042535-2, 3192291COQ-005, 3048495, 3108034COQ-003, 3148824MID-004b, 3033943/ Warnock-Hershey Report No: WHI-495-1685, WHI-495-1525

Administrator's Signature:



NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Haves, VA 23072

Tel: (804) 684-5124/nami@namiinc.com