

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012943-R8
DATE: 12/01/2015
CERTIFICATION PROGRAM: Fire
COMPANY: 84 Lumber
CODE: 2201-1
REVISION DATE: 06/11/2024
EXPIRATION DATE: 12/31/2032

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
84 Lumber, Inc. 4287 Stough Road Concord, NC 28207	20 Minute Fiberglass Reinforced Faced Door w/Proprietary Core (Simulated Panel Type or Flush) Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations Single Door Maximum Size: 3'0" x 6'8" Minimum Thickness: 1-3/4"

SPECIFICATION	PRODUCT RATING
UL 10C (2009) NFPA 252 (2008) CAN4 S104 (1985)	20 Minute-with Hose Stream Positive Pressure Category A- No Additional Edge Sealing Required

TEST REPORT
Intertek Test Report No: J20051379-231, 3084465, 317611MID-002, 3187023MID-002, & 10035435MID-001

A handwritten signature in black ink, appearing to be 'M.D.', written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com