

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013377-R2
DATE: 10/10/2016
CERTIFICATION PROGRAM: Fire
COMPANY: Orepac
CODE: 1234-1
EXPIRATION DATE: 10/31/2024
REVISION DATE: 11/08/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Orepac Building Products, Inc. 30160 SW Orepac Avenue Wilsonville, OR 97070	Worldwide Door Components' 4-1/2" Wide Composite Frame - 4ever Frame, J-CP-4F Manufacture Specific Fire Door Frames for Single Swing Only Installation in 20 Minute Locations Maximum Frame Size: 38.5" x 81.5" Minimum Width: 4-1/2" Minimum Thickness: 1-1/2"

SPECIFICATION	PRODUCT RATING
UL 10(c) (2009) CAN4 S104(2010)	20 Minute-With Hose Stream Positive Pressure Category C- Proprietary Frame
TEST REPORT	
Intertek Test Report No: 100719286COQ-003	

A handwritten signature in black ink, appearing to be "Shirley".

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com