

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013401-R2
DATE: 11/03/2016
CERTIFICATION PROGRAM: Fire
COMPANY: Milliken
CODE: 994-1
REVISION DATE: 09/27/2021
EXPIRATION DATE: 11/30/2024

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Milliken Millwork, Inc. 6361 Sterling Drive North Sterling Heights, MI 48312	Jeld-Wen's 90 Minute Positive Pressure Fire Door Assemblies w/o Hose Stream Manufacturer Specific Fire Doors for Single or Double Swing Installation in 90 Minute Locations 1/2" Minimum Latch Throw Single or Double Swing Only Maximum Size: 3'0" x 8'0" Maximum Size: 3'6" x 7'0" Maximum Size: 6'0" x 7'0" Minimum Thickness: 1-11/16"

SPECIFICATION	PRODUCT RATING
NFPA 252 (2008)/UL 10B (2009)/ UL 10C (2009)/UBC 7-2 (1997) CAN ULC S104 (2010)	90 Minute-Positive Pressure Without Hose Stream Category B - Additional Edge Sealing System Required

TEST REPORT
Intertek Test Report No: 100108677COQ-001, 100211525COQ-001, 100754937MID-001, J20012862-231, 3150506MID-004, 3025659

Administrator's Signature:  _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122