

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013672-R6  
DATE: 04/03/2017  
CERTIFICATION PROGRAM: Fire  
COMPANY: 84 Lumber  
CODE: 2201-1  
REVISION DATE: 06/11/2024  
EXPIRATION DATE: 04/30/2033

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS  | PRODUCT DESCRIPTION  |
|---|--|
| <b>84 Lumber, Inc.</b><br><b>4287 Stough Road</b><br><b>Concord, NC 28207</b> | <b>Jeld Wen 20 Minute Neutral</b><br><b>Pressure Steel Side-Hinged Door</b><br><b>Assembly</b><br><br>Manufacturer Specific Fire Doors for Single Swing<br>Installation in 20 Minute Locations<br><br>1/2" Minimum Latch Throw<br>Single Swing Only<br><br><b>Single Swing Maximum Size: 3'6" x 6'8"</b><br><b>Minimum Thickness: 1-3/4"</b> |

| SPECIFICATION   | PRODUCT RATING  |
|---|---|
| <b>NFPA 252 (2008)</b><br><b>UL 10B (2009)</b><br><b>UBC 7-2 (1994)</b> | <b>20 Minute-Neutral Pressure</b><br><b>Without Hose Stream</b><br><b>Category B - Additional Edge Sealing</b><br><b>Required</b> |

| TEST REPORT  |
|--|
| <b>Intertek Test Report No: WHI 495-0897, 100108677COQ-001, 100211525COQ-001, 100237214MID-001, 100754937MID-001</b> |

Administrator's Signature:  \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023