

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013738-R4  
**DATE:** 06/01/2017  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Seves Glass  
**CODE:** 2322-1  
**REVISION DATE:** 04/29/2024  
**EXPIRATION DATE:** 06/30/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Seves Glass Block, Inc.</b> <b>10576 Broadview Road</b> <b>Broadview Heights, OH 44147</b>	<p style="text-align: center;"><b>Series "Spray Thickset 60"</b></p> <p style="text-align: center;"><b>Fire-Rated Glass Block</b></p> <p>Manufacturer Specific Glass Blocks for Installation in 60 Minute Locations</p> <p>Max Opening: 100ft<sup>2</sup> or W-129" or H-129"</p> <p style="text-align: center;">Glass Block Weight: 7.65 lb</p> <p style="text-align: center;"><b>Glass Block Size: 7.75" x 7.75"</b>  <b>Minimum Thickness: 3.88"</b></p>

SPECIFICATION	PRODUCT RATING
<b>ANSI/UL 9</b>	<b>60 Minutes With Hose Stream</b>

TEST REPORT
<b>Underwriters Laboratory Test Report No: R2556 79NK1</b>

  
 Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
 4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)

