

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013739-R2  
**DATE:** 06/01/2017  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Harbin Lumber  
**CODE:** 2341-1  
**REVISION DATE:** 05/13/2025  
**EXPIRATION DATE:** 06/30/2035

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Harbin Lumber Company</b>  <b>660 Smith Road</b>  <b>Lavonia, GA 30553</b>	<p style="text-align: center;"><b>20 Minute Positive Pressure</b></p> <p style="text-align: center;"><b>Flush or Molded Interior Side-Hinged</b></p> <p style="text-align: center;"><b>Door w/Wheatboard Core</b></p> <p style="text-align: center;">Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations</p> <p style="text-align: center;">1/2" Minimum Latch Throw Single Swing Only</p> <p style="text-align: center;"><b>Maximum Size: 3'0" x 8'0"</b> <b>Minimum Thickness: 1-3/4"</b></p>

SPECIFICATION	PRODUCT RATING
<p style="text-align: center;">NFPA 252 (1999)                      UL 10(b) (1997/2009)                      CAN4-S104 (1985)                      UBC Standard 7-2 (1994/1997)                      UL 10(c) (2009)</p>	<p style="text-align: center;"><b>20 Minute-Positive Pressure</b>  <b>With Hose Stream</b>  <b>Category B Door-Additional Edge Seal</b>  <b>Required</b>  <b>For Use in Category C Frame</b>                      (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)</p>

TEST REPORT
Intertek Test Report No: 3137714COQ-008

Administrator's Signature: 

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)

NOPC 03/30/2023