

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013752-R1  
**DATE:** 06/14/2017  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Harvey  
**CODE:** 310-1  
**REVISION DATE:** 12/09/2021  
**EXPIRATION DATE:** 06/30/2031

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Harvey Building Products</b> <b>30 Jack's Bridge Road</b> <b>Londonderry, NH 03053</b>	<b>20 Minute Fiberglass Reinforced Faced</b> <b>Door w/Proprietary Core</b> <b>(Simulated Panel Type or Flush)</b>  Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations  <b>Single Door Maximum Size: 3'0" x 6'8"</b>  <b>Minimum Thickness: 1-3/4"</b>

SPECIFICATION	PRODUCT RATING
<b>UL 10C (2009)</b> <b>NFPA 252 (2008)</b> <b>CAN4 S104 (1985)</b>	<b>20 Minute-with Hose Stream</b> <b>Positive Pressure</b> <b>Category A- No Additional Edge Sealing</b> <b>Required</b>

TEST REPORT
<b>Intertek Test Report No: J20051379-231, 3084465, 317611MID-002, 3187023MID-002, &amp; 10035435MID-001</b>

Administrator's Signature:  \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)