NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI013861-R4**
DATE:	**10/02/2017**
CERTIFICATION PROGRAM:	**Fire**
COMPANY:	**Palmer-Donavin**
CODE:	**941-1**
EXPIRATION DATE:	**10/31/2030**
REVISION DATE:	**07/10/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	
Palmer-Donavin Manufacturing Co. **1120 O'Neill Drive** **Hebron, OH 43025**	**20 Minute SmoothStar Fiberglass** **Door w/Proprietary Core** **(Simulated Panel Type or Flush)** Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations **Single Door Maximum Size: 3'0" x 8'0"** **Minimum Thickness: 1-3/4"**

SPECIFICATION	PRODUCT RATING
UL 10C (2009)(R2015) **NFPA 252 (2012)**	**20 Minute-without Hose Stream** **Positive Pressure** **Category B- Additional Edge Sealing Required**
TEST REPORT	
Intertek Test Report No: 3033943, 3084465, 3176111MID-002, 3187023MID-002, 100354358MID-001, 100537989MID-001 & 102613119MID-004	

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com