

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013946-R1
DATE: 01/23/2018
CERTIFICATION PROGRAM: Fire
COMPANY: Barnett Mill
CODE: 529-1
REVISION DATE: 01/04/2022
EXPIRATION DATE: 01/31/2027

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| Barnett Millworks, Inc. 4915 Hamilton Blvd. Theodore, AL 36590 | 20 Minute Neutral Pressure Fire Door Assemblies w/o Hose Stream Manufacturer Specific Fire Doors for Single or Double Swing Installation in 20 Minute Locations 1/2" Minimum Latch Throw Single or Double Swing Only Maximum Size: 8'0" x 8'0" Minimum Thickness: 1-3/4" |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| NFPA 252 (1999) UL 10B (2009) UBC Standard 7-2 (1997) | 20 Minute-Neutral Pressure Without Hose Stream |

| TEST REPORT |
|---|
| Intertek Test Report No: 3073067, 3043898, 307008-1, 100108677COQ-001, 3059877, J20012862-23, 3025659, 3192291COQ-005, 3048495, 3108034COQ-003, Warnock-Hershey Test Report No: WHI-495-1685, WHI-495-1197, WHI-495-0897 |

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com