

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013974-R1  
**DATE:** 02/15/2018  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** BMC East  
**CODE:** 2408-1  
**REVISION DATE:** 01/13/2022  
**EXPIRATION DATE:** 02/28/2024

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>BMC East, LLC</b></p> <p><b>3000 Yonkers Road</b></p> <p><b>Raleigh, NC 27604</b></p>	<p><b>Jeld Wen 20 Minute Neutral</b></p> <p><b>Pressure Steel Side-Hinged Door</b></p> <p><b>Assembly</b></p> <p>Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations</p> <p>1/2" Minimum Latch Throw Single Swing Only</p> <p><b>Single Swing Maximum Size: 3'6" x 6'8"</b> <b>Minimum Thickness: 1-3/4"</b></p>

SPECIFICATION	PRODUCT RATING
<p><b>NFPA 252 (2008)</b></p> <p><b>UL 10B (2009)</b></p> <p><b>UBC 7-2 (1994)</b></p>	<p><b>20 Minute-Neutral Pressure</b></p> <p><b>Without Hose Stream</b></p> <p><b>Category B - Additional Edge Sealing</b> <b>Required</b></p>

TEST REPORT
<p><b>Intertek Test Report No: WHI 495-0897, 100108677COQ-001, 100211525COQ-001, 100237214MID-001, 100754937MID-001</b></p>

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND**  
**MANAGEMENT INSTITUTE, INC.**  
 4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)