

To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Trimco Millwork	20 Minute Category C
15000 East 39 th Place	Proprietary Wood Door Frames
Aurora, CO 80011	
	Manufacture Specific Fire Door Frames for Single Swing Only Installation in 20 Minute Locations
	Single Door Maximum Size: 3'6" x 7'0"
	Minimum Thickness: 3-3/4"

SPECIFICATION	PRODUCT RATING
UL 10C (1998)	20 Minute-With & Without Hose Stream
UBC Standard 7-2 (1997)	Neutral Pressure
UBC Standard 7-2 (1994)	Category C- Proprietary Frame

TEST REPORT

Warnock Hersey Test Report No: WHI-495-0509 Intertek Test Report No(s): 3746699, 8772599, 3028781, 3035264, 3048460

Sh

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 nami@namiinc.com