

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014282-R2  
**DATE:** 12/18/2018  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** Trimco Millwork  
**CODE:** 870-1  
**EXPIRATION DATE:** 12/31/2024  
**REVISION DATE:** 02/22/2023

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Trimco Millwork</b>  <b>15000 East 39<sup>th</sup> Place</b>  <b>Aurora, CO 80011</b>	<p style="text-align: center;"><b>20 Minute Category C</b></p> <p style="text-align: center;"><b>Proprietary Wood Door Frames</b></p> <p style="text-align: center;">Manufacture Specific Fire Door Frames for Single and Double Swing Installation in 20 Minute Locations</p> <p style="text-align: center;"><b>Single Door Maximum Size: 4'0" x 9'0"</b>  <b>Double Door Maximum Size: 8'0" x 9'0"</b></p> <p style="text-align: center;"><b>Minimum Thickness: 3-3/4"</b></p>

SPECIFICATION	PRODUCT RATING
<b>UL 10C (1998)</b> <b>UBC Standard 7-2 (1997)</b> <b>UBC Standard 7-2 (1994)</b>	<b>20 Minute-With &amp; Without Hose Stream</b> <b>Positive Pressure</b> <b>Category C- Proprietary Frame</b>

TEST REPORT
<b>Warnock Hersey Test Report No: WHI-495-0509</b> <b>Intertek Test Report No(s): 3746699, 8772599, 3028781, 3035264, 3048460</b>

  
 Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
 MANAGEMENT INSTITUTE, INC.**  
 4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)