

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014286-R1
DATE: 12/20/2018
CERTIFICATION PROGRAM: Fire
COMPANY: Trimco Millwork
CODE: 868-1
REVISION DATE: 04/10/2023
EXPIRATION DATE: 12/31/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Trimco Millwork 1835 Commerce Avenue Boise, ID 83715	<p style="text-align: center;">20 Minute SmoothStar Fiberglass</p> <p style="text-align: center;">Door w/Proprietary Core</p> <p style="text-align: center;">(Simulated Panel Type or Flush)</p> <p style="text-align: center;">Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations</p> <p style="text-align: center;">Single Door Maximum Size: 3'0" x 8'0"</p> <p style="text-align: center;">Minimum Thickness: 1-3/4"</p>

SPECIFICATION	PRODUCT RATING
UL 10C (2009)(R2015) NFPA 252 (2012)	20 Minute-without Hose Stream Positive Pressure Category B- Additional Edge Sealing Required

TEST REPORT
Intertek Test Report No: 3033943, 3084465, 3176111MID-002, 3187023MID-002, 100354358MID-001, 100537989MID-001 & 102613119MID-004



Administrator's Signature: _____

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
nami@namiinc.com