

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014337-R1
DATE: 01/28/2019
CERTIFICATION PROGRAM: Fire
COMPANY: Treasure Valley
CODE: 2517-1
REVISION DATE: 01/16/2023
EXPIRATION DATE: 01/31/2028

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Treasure Valley Door & Trim, LLC 1150 West Taylor Avenue Meridian, ID 83642</p>	<p style="text-align: center;">20 Minute Positive Pressure Flush or Molded Interior Side-Hinged Door w/Wheatboard Core</p> <p style="text-align: center;">Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations</p> <p style="text-align: center;">1/2" Minimum Latch Throw Single Swing Only</p> <p style="text-align: center;">Maximum Size: 3'0" x 8'0" Minimum Thickness: 1-3/4"</p>

SPECIFICATION	PRODUCT RATING
<p>NFPA 252 (1999) UL 10(b) (1997/2009) CAN4-S104 (1985) UBC Standard 7-2 (1994/1997) UL 10(c) (2009)</p>	<p>20 Minute-Positive Pressure With Hose Stream Category B Door-Additional Edge Seal Required For Use in Category C Frame (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)</p>

TEST REPORT
<p>Intertek Test Report No: 3137714COQ-008</p>

Administrator's Signature:

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
nami@namiinc.com