NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI014431-R4**
DATE:	**06/03/2019**
CERTIFICATION PROGRAM:	**Fire**
COMPANY:	**BMC Millwork**
CODE:	**1665-1**
REVISION DATE:	**06/11/2026**
EXPIRATION DATE:	**06/30/2027**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
BMC Millwork Corporation **399 Northpoint Parkway** **Acworth, GA 30102**	**Woodgrain 20 Minute Category C** **Proprietary Wood Door Frames** Manufacture Specific Fire Door Frames for Single and Double Swing Installation in 20 Minute Locations **Single Door Maximum Size: 4'0" x 9'0"** **Double Door Maximum Size: 8'0" x 9'0"** **Minimum Thickness: 3-3/4"**

SPECIFICATION	PRODUCT RATING
UL 10C (1998) **UBC Standard 7-2 (1997)** **UBC Standard 7-2 (1994)**	**20 Minute-With & Without Hose Stream** **Positive Pressure** **Category C- Proprietary Frame**
TEST REPORT	
Warnock Hersey Test Report No: WHI-495-0509 **Intertek Test Report No(s): 3746699, 8772599, 3028781, 3035264, 3048460**	

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com