

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014459-R1  
**DATE:** 07/10/2019  
**CERTIFICATION PROGRAM:** Fire  
**COMPANY:** G-M Wood Prod  
**CODE:** 2136-1  
**REVISION DATE:** 08/10/2023  
**EXPIRATION DATE:** 07/31/2030

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>G-M Wood Products, Inc.</b> <b>531 Clay Street</b> <b>Newaygo, MI 49337</b>	<b>Qingdao Sea Nova Building Profiles</b> <b>Model "OF Buff"</b> <b>20 Minute Category C-Proprietary</b> <b>Composite Door Frames</b> Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations <b>Maximum Size: W-49.69" x H-96.85"</b> <b>Minimum Jamb Depth: 4.13"</b>

SPECIFICATION	PRODUCT RATING
<b>CAN4 S104(2015)</b> <b>NFPA 252(2017)</b> <b>UL 10C(2016)</b> <b>UL 10B (2015)</b>	<b>20 Minute-With Hose Stream</b> <b>Neutral or Positive Pressure</b> <b>Category C- Proprietary Frame</b>

## TEST REPORT

**Intertek Test Report No(s): 190228009SHF-002**

A handwritten signature in black ink, appearing to be "S.M.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)