

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014546-R4
DATE: 10/28/2019
CERTIFICATION PROGRAM: Fire
COMPANY: Provia
CODE: 1212-1
REVISION DATE: 09/07/2023
EXPIRATION DATE: 10/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ProVia, LLC 2150 State Route 39 Sugarcreek, OH 44681	90 Minute Positive Pressure 20-Gauge Steel Side-Hinged Door w/Mortised Card Reader Manufacturer Specific Fire Doors for Single Swing Installation in 90 Minute Locations 3/4" Minimum Latch Throw Single Swing Only Maximum Size: 3'0" x 7'0" Minimum Thickness: 1-3/4"

SPECIFICATION	PRODUCT RATING
UL 10C (2016)(2021)	90 Minute-Positive Pressure With Hose Stream Category A Door-No Additional Edge Seal Required For Use in Category C Frame (or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)

TEST REPORT
Intertek Test Report No: 104041145MID-002/G104746568-MID-002R1 NAMI Waiver of Retest: W-1913/W-1957/W-2012

Administrator's Signature:  _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com