

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014827-R1
DATE: 04/23/2020
CERTIFICATION PROGRAM: Fire
COMPANY: Kempsville
CODE: 2587-1
REVISION DATE: 12/12/2023
EXPIRATION DATE: 04/30/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Kempsville Building Materials Corp. 3300 Business Center Drive Chesapeake, VA 23323	Endura 20 Minute Category C Proprietary Wood Door Frames Manufacture Specific Fire Door Frames for Double Swing Installation in 20 Minute Locations Single Door Maximum Size: 8'0" x 9'0" Minimum Jamb Depth: 3.5"

SPECIFICATION	PRODUCT RATING
NFPA 252 (2012) UL 10b (1997) UL 10c (2009) CAN/ULC S104 (2010) UBC Standard 7-2 (1994)	20 Minute-With Hose Stream Positive Pressure Category C- Proprietary Frame

TEST REPORT
Intertek Test Report No(s): 101305789COQ-002, 101664134COQ-002 Intertek Engineering Evaluation No(s): 102343380MID-001

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC 03/30/2023