

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014932-R1
DATE: 08/31/2024
CERTIFICATION PROGRAM: Fire
COMPANY: Bjornstad Const.
CODE: 2644-1
REVISION DATE: 08/31/2023
EXPIRATION DATE: 08/31/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| Bjornstad Construction Company 1240 Texan Trail, Suite 102 Grapevine, TX 76051 | Crest Doors 6-Panel Embossed Steel Fire Door Manufacturer Specific Fire Doors for Single Swing Installation in 20 Minute Locations 1/2" Minimum Latch Throw Single Swing Only Single Maximum Size: 3'0" x 6'8" Minimum Thickness: 1-3/4" |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| ASTM E152-81a UL 10B (1997)(2009) NFPA 252 (1999) | 20 Minute-Neutral Pressure Without Hose Stream Category A - No Additional Edge Sealing System Required |

| TEST REPORT |
|----------------------------------|
| Intertek Test Report No: 3125633 |

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com