

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO:	NI014987-R1
DATE:	09/24/2020
CERTIFICATION PROGRAM:	Fire
COMPANY:	Starlink
CODE:	2681-1
REVISION DATE:	03/21/2022
EXPIRATION DATE:	07/31/2031

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Starlink Building Supply, Inc. 4982 4th Street Irwindale, CA 91706	Series " 4-9/16" 20 Minute Category C Proprietary PVC Door Frame Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations 1/2" Minimum Latch Throw Single Swing Only Maximum Size: 952mm x 2438mm Minimum Thickness: 116mm

SPECIFICATION	PRODUCT RATING
NFPA 252 (2012) UL 10(b) (2009) UBC Standard 7-2 (1997) UL 10(c) (2009)	20 Minute-Positive Pressure 20 Minute-Neutral Pressure Without Hose Stream Category C- Proprietary Frame

TEST REPORT
Intertek Test Report No: 170410011SHF-BP-1

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "SLO", is written over the signature line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ nami@namiinc.com