

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014993-R1
DATE: 10/06/2020
CERTIFICATION PROGRAM: Fire
COMPANY: Benbilt
CODE: 885-1
REVISION DATE: 03/19/2026
EXPIRATION DATE: 10/31/2029

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
BenBilt Building Systems 123 Benbilt Place Greensburg, PA 15601	JM Eagle 20 Minute Category C Proprietary Wood Composite Door Frames w/PVC Cladding Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations (Particle Board Core Wood & Fiberglass Skin Doors Only) Single Door Maximum Size: 3'0" x 8'0" Minimum Thickness: 4-1/2"

SPECIFICATION	PRODUCT RATING
CAN4 S104 (1985)(2010) NFPA 252 (2008)(2012) UL 10C (2001)(2009)	20 Minute-With Hose Stream Positive Pressure Category C- Proprietary Frame

TEST REPORT
Intertek Test Report No(s): 3167720MID-004, 3167700MID-013, 3183953MID-001, 100142215MID-002b, 100529924MID-002R1, 101729929-001

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com