NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI009351-R1**
DATE:	**02/14/2008**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Crest Metal**
CODE:	**C-1125-1**
REVISION DATE:	**12/08/2011**

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document..

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crest Metal Doors **157 Humble Avenue** **San Antonio, TX 78225**	**Series "San Juan/San Jose" Opaque** **Fiberglass Inswing & Outswing** **Side-Hinged Door** Configuration: X Frame: W-948mm(37.32") H-2080mm(81.88") Panel: W-908mm(35.75") H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING
ASTM E330-02	**Design Pressure: +50.68/-63.98 psf**

Product Tested By: Architectural Testing, Inc.
Report No: ATI-75489.01-801-44/75488.01-801-44
Expiration Date: **July 31, 2015**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122