

NOTICE OF PRODUCT CERTIFICATION



Company: Orepac Building Products
30160 SW Orepac Avenue
Wilsonville, OR 97070

Certification No.: NI012981
Certification Date: 01/06/2016
Expiration Date: 01/31/2020

Product: Therma-Tru Glazed Fiberglass Side Hinged Doors.
Specification: ASTM E283-04/ASTM E547-00/ASTM E330-02/TAS 201/202/203-94/
ASTM E1886-02/E1996-02

Glazing: Insulating Glass-1/8" Tempered/Laminate-5/32" Annealed Glass/0.090" Solutia
Interlayer/1/8" Annealed Glass (Sika 552 Glazing Compound)

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg(psf)	Water Test Pressure (psf)	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	O/S	Glazed	3'1" x 6'10"	+50/-50	7.5 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
X Single	I/S	Glazed	3'1" x 6'10"	+47/-53	0.0 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
OX/XO Single w/Sidelite	O/S	Glazed	6'2" x 6'10"	+50/-50	7.5 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
OX/XO Single w/Sidelite	I/S	Glazed	6'2" x 6'10"	+47/-53	0.0 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
XX Double	O/S	Glazed	6'2" x 6'10"	+50/-50	7.5 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
XX Double	I/S	Glazed	6'2" x 6'10"	+47/-53	0.0 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
OXO Single w/Sidelites	O/S	Glazed	9'3" x 6'10"	+50/-50	7.5 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
OXO Single w/Sidelites	I/S	Glazed	9'3" x 6'10"	+47/-53	0.0 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
OXXO Double w/Sidelites	O/S	Glazed	12'0" x 6'10"	+50/-50	7.5 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"
OXXO Double w/Sidelites	I/S	Glazed	12'0" x 6'10"	+47/-53	0.0 psf	Yes	TEL 06-0718-1 Max Panel Size: 3'0" x 6'10"/Max DLO: 1'9" x 5'3"

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: _____