

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005312.01-R1
DATE: 03/22/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Therma-Tru
CODE: T-052-1
REVISION DATE: 03/02/2016

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Therma-Tru Corporation 118 Industrial Drive Edgerton, OH 43517	"Traditions Series" In-Swing & Out-Swing Opaque Wood Edge Steel Door Configuration: X Frame: W-953mm(37.5") H-2083mm(82") Panel: W-915mm(36") H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure = +67/-67 psf Large Missile Impact Rated Qualifies Configurations: X

Product Tested By: ETC, Inc.
Report No: ETC 01-741-10622.0
Expiration Date: March 31, 2026

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. H. D.", written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122