

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009730.01-R2
DATE: 01/09/2009
CERTIFICATION PROGRAM: Structural
COMPANY: ODL, Inc.
CODE: O-558-1
REVISION DATE: 12/01/2016

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ODL, Incorporated 215 East Roosevelt Avenue Zeeland, MI 49464	"ODL/Western Reflections Smart Lite Frame" Glazed Fiberglass Door Configuration: X Glazing: Insulating Glass (Tempered) Frame: W-3'1" Panel: W-3'0" DLO: W-1'9" H-6'10" H-6'7" H-5'3"

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02/E331-00	Design Pressure: +60/-60 psf

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01310080
Expiration Date: **December 31, 2026**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122