

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011968.02-R3
DATE: 05/13/2014
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 12/29/2016

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "6400 Premium Atlantic Aluminum" Double Hung Window Configuration: X/X Glazing: Monolithic-3/16" Annealed Glass Frame: W-914mm(36.00") H-1828mm(72.00") Sash: W-875mm(34.45") H-912mm(35.91") DLO: W-796mm(31.37") H-814mm(32.06")

SPECIFICATION	PRODUCT RATING
TAS 202-94	Design Pressure: +60/-65 psf

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3713-1
Expiration Date: **February 28, 2026**

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122