

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009200-R5  
DATE: 09/28/2009  
CERTIFICATION PROGRAM: Structural  
COMPANY: Crystalite  
CODE: 1266-1  
REVISION DATE: 02/22/2017

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crystalite Skylights 3307 Cedar Street Everett, WA 98201	Series "5842" Vinyl, Aluminum/Vinyl Composite Fixed Skylight Configuration: O Glazing: Monolithic (1/8" Tempered) Frame: W-1892mm(74.5") H-1283mm(50.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class C-PG30 1892 x 1283 (75 x 51)-SKG Design Pressure (Download): 4550 Pa (95 psf) Negative Design Pressure (Uplift): 1440 Pa (30 psf) Water Resistance Test Pressure: 290 Pa (6.0 psf)

Product Tested By: Quality Testing, Inc.  
Report No: S2007-888/W-1496  
Expiration Date: January 31, 2027

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122