

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009201.03-R5
DATE: 09/28/2009
CERTIFICATION PROGRAM: Structural
COMPANY: Crystalite
CODE: 1266-1
REVISION DATE: 02/22/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crystalite Skylights 3307 Cedar Street Everett, WA 98201	Series "3962" Aluminum Fixed Skylight Configuration: O Glazing: Monolithic (1/4" Tempered) Frame: W-1283mm(50.5") H-1892mm(74.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11	Class C-PG30 1283 x 1892 (51 x 75)-SKG Design Pressure (Download): 25376 Pa (530 psf) Negative Design Pressure (Uplift): 1440 Pa (30 psf) Water Resistance Test Pressure: 290 Pa (6.0 psf)

Product Tested By: Quality Testing, Inc.
Report No: S2007-889/S2007-889(EOA1)/W-1496/W-1508
Expiration Date: January 31, 2027

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'Shirley' or similar, written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122