

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009360.01-R5
DATE: 02/18/2008
CERTIFICATION PROGRAM: Structural
COMPANY: Crystalite
CODE: 1266-1
REVISION DATE: 02/22/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crystalite Skylights 3307 Cedar Street Everett, WA 98201	Series "3962" Aluminum Fixed Skylight Configuration: O Outer Dome: 0.150" Nominal Acrylic Inner Dome: 0.118" Nominal Acrylic Frame: W-1270mm(50") H-2502mm(99")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05	SKP-C30 1270 x 2502 (50 x 99) Design Pressure (Download): 1440 Pa (30 psf) Negative Design Pressure (Uplift): 1440 Pa (30 psf) Water Resistance Test Pressure: 220 Pa (4.5 psf)

Product Tested By: Quality Testing, Inc.
Report No: S2008-031
Expiration Date: **January 31, 2027**

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122