

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009367-R5
DATE: 02/19/2008
CERTIFICATION PROGRAM: Structural
COMPANY: Crystalite
CODE: 1266-1
REVISION DATE: 02/22/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Crystalite Skylights 3307 Cedar Street Everett, WA 98201	Series "3921" Aluminum w/Thermal Break Operable Skylight Configuration: X Outer Dome: 0.150" Nominal Acrylic Inner Dome: 0.118" Nominal Lexan Frame: W-1295mm(51") H-1295mm(51")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05	SKP-C30 1295 x 1295 (51 x 51) Design Pressure (Download): 1680 Pa (35 psf) Negative Design Pressure (Uplift): 1440 Pa (30 psf) Water Resistance Test Pressure: 220 Pa (4.5 psf)

Product Tested By: Quality Testing, Inc.
Report No: S2008-022
Expiration Date: **January 31, 2027**

A handwritten signature in black ink, appearing to be "Shirley".

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122