

# NOTICE OF PRODUCT CERTIFICATION



**Company:** Orepac Building Products  
30160 SW Orepac Avenue  
Wilsonville, OR 97070

**Certification No.:** NI013711  
**Certification Date:** 01/05/2016  
**Expiration Date:** 01/31/2020

**Product:** FiberClassic/Smooth Star Glazed Fiberglass Door Inswing/Outswing w/ and w/o Sidelites  
Benchmark by Therma-Tru Series Glazed Fiberglass Door Inswing/Outswing w/ & w/o Sidelites

**Specification:** ASTM E330/E331/TAS202

The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at [www.Namicertification.com](http://www.Namicertification.com). NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number & Comments
X Single	I/S	Glazed	3'0" x 6'8"	+47/-47	No	NCTL-210-1940-1.2.3.4/TTF-256F
X Single	O/S	Glazed	3'0" x 6'8"	+47/-47	No	NCTL-210-1940-1.2.3.4/TTF-255F
XX Double	I/S	Glazed	6'0" x 6'8"	+40/-40	No	NCTL-210-1940-1.2.3.4/TTF-256F Standard Aluminum Astragal
XX Double	O/S	Glazed	6'0" x 6'8"	+40/-40	No	NCTL-210-1940-1.2.3.4/TTF-255F Standard Aluminum Astragal
XX Double	I/S	Glazed	6'0" x 6'8"	+47/-47	No	NCTL-210-1940-1.2.3.4/TTF-256F Coastal Aluminum Astragal
XX Double	O/S	Glazed	6'0" x 6'8"	+47/-47	No	NCTL-210-1940-1.2.3.4/TTF-255F Coastal Aluminum Astragal
OXO/OX/XO Single w/Sidelites	I/S	Glazed Door Glazed Sidelites	5'4" x 6'8"	+40/-40	No	ETC-01-741-11008.0/L-2151/TTF-256F
OXO/OX/XO Single w/Sidelites	O/S	Glazed Door Glazed Sidelites	5'4" x 6'8"	+40/-40	No	ETC-01-741-11008.0/L-2151/TTF255F
OXXO Double w/Sidelites	I/S	Glazed Door Glazed Sidelites	8'4" x 6'8"	+40/-40	No	ETC-01-741-11008.0/L-2151/TTF-256F Standard Aluminum Astragal
OXXO Double w/Sidelites	O/S	Glazed Door Glazed Sidelites	8'4" x 6'8"	+40/-40	No	ETC-01-741-11008.0/L-2151/TTF255F Standard Aluminum Astragal
OXXO Double w/Sidelites	I/S	Glazed Door Glazed Sidelites	8'4" x 6'8"	+47/-47	No	ETC-01-741-11008.0/L-2151/TTF-256F Coastal Aluminum Astragal
OXXO Double w/Sidelites	O/S	Glazed Door Glazed Sidelites	8'4" x 6'8"	+47/-47	No	ETC-01-741-11008.0/L-2151/TTF255F Coastal Aluminum Astragal

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072

Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'Shelby' or similar, written over a horizontal line.