

# NOTICE OF PRODUCT CERTIFICATION




CERTIFICATION NO: NI012031.03-R1  
DATE: 05/04/2015  
CERTIFICATION PROGRAM: Structural  
COMPANY: Kalwall  
CODE: 322-1  
REVISION DATE: 08/01/2017

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Kalwall Corporation</b> <b>1111 Candia Road</b> <b>Manchester, NH 03105</b>	<b>Series "Awning"</b> <b>Project-Out-At-Bottom Awning Window</b>  Configuration: X  Glazing: IG-Ext-6mm (0.220") Tempered Glass/ Interior-Laminate-4mm (0.155") Heat Strengthened Glass/0.090" DuPont Sentry Glass Plus Interlayer/ 4mm (0.155") Heat Strengthened Glass  Frame: W-1524mm(60") W-914mm(36")  Vent: W-1457mm(57.38") W-848mm(33.38")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3830 Pa (80 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-16372-1  
Expiration Date: November 30, 2027

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122