

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012174-R1
DATE: 11/10/2014
CERTIFICATION PROGRAM: Structural
COMPANY: The Door Store
CODE: 1367-1
REVISION DATE: 08/08/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
The Door Store of America DBA DSA Master Crafted Doors, LLC 10681 World Trade Boulevard Raleigh, NC 27617	"Full View One Lite Door w/Two Full View One Lite Sidelites and One Lite Transom" Configuration: O//OXO Glazing: IG: Exterior-5/32" Tempered Glass/ Interior-Laminate-1/8" Annealed Glass/0.090" PVB Interlayer by DuPont/1/8" Annealed Glass Frame: W-2457mm(96.75") H-3470mm(136.63") Panel: W-1067mm(42") H-2442mm(96.13") Sidelite: W-610mm(24") H-2442mm(96.13") Transom: W-2286mm(90") H-914mm(36")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02 ASTM E1886-05/E1996-09	Design Pressure: +50/-50 psf Wind Zone 4-Missile Level D <small>Qualifies Configurations: O//X, O//O, O//OX, O//XO O//OXO, OX, XO, OXO</small>

Product Tested By: American Test Lab, Inc.
Report No: ATLNC 0819.01-13
Expiration Date: August 31, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122