

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012031.01-R1  
**DATE:** 06/22/2014  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Kalwall  
**CODE:** 322-1  
**REVISION DATE:** 09/07/2017

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Kalwall Corporation</b> <b>1111 Candia Road</b> <b>Manchester, NH 03105</b>	<b>Series "Awning"</b> <b>Project-Out-At-Bottom Awning Window</b>  Configuration: X  Glazing: Insulating Glass (Tempered)  Frame: W-1524mm(60") W-914mm(36") DLO: W-1457mm(57.38") W-848mm(33.38")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class AW-PG70 1524 x 914 (60 x 36)-AP</b> <b>AP-AW70 1524 x 914 (60 x 36)</b> <b>Negative Design Pressure: 3360 Pa (70 psf)</b> <b>Water Penetration Resistance Test Pressure: 720 Pa(15 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-16370-1  
Expiration Date: December 31, 2027

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122