NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI006447.04**
DATE:	**03/21/2006**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**West Window**
CODE:	**W-113-1**
REVISION DATE:	**11/27/2017**

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
West Window Corporation **226 Industrial Park Drive** **PO Drawer 3071** **Martinsville, VA 24115**	**Series "Allweld III" Vinyl** **Double Hung Prime Window** Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-1118mm(44") H-1600mm(63") Sash: W-1045mm(41.16") H-794mm(31.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-05 **ASTM F588-04**	**H-R50 1118 x 1600 (44 x 63)** **Design Pressure: +50/-50 psf** **FER-Passed**

Product Tested By: Architectural Testing, Inc.
Report No: ATI-62607.02-701-47
Expiration Date: **December 31, 2022**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122