NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013067.01-R1

DATE: 03/23/2016

CERTIFICATION PROGRAM: Structural

COMPANY: <u>Caoba Doors</u>

CODE: 588-1

REVISION DATE: 11/27/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status.

Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Caoba Doors	Mahogany Outswing Single French
4918 Cedar Avenue	Wood Casement Window
Philadelphia, PA 19143	w/Round & Eliptical Top
	Configuration: X Glazing: Laminate-3/16" Annealed Glass/ 0.090" SGP Interlayer by Kuraray/ 3/16" Annealed Glass or Insulating Glass-Ext-1/4" Tempered Glass/ Int-Laminate-3/16" Annealed Glass/ 0.090" SGP Interlayer by Kuraray/ 3/16" Annealed Glass
	Frame: W-1372mm(54") H-2134mm(84")
	Vent: W-1324mm(52.13") H-2089mm(82.25")
	DLO: W-1172mm(46.13") H-1911mm(75.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±4788 Pa (100 psf) Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories
Report No: CTLA 3023W-2/CTLA 1806W

Expiration Date: November 30, 2027

Administrator's Signature:

NATIONAL ACCREDITATION AND

4794 George Washington Memorial Highway Hayes, VA 23072

MANAGEMENT INSTITUTE, INC.

Tel: (804) 684-5124/ Fax: (804) 684-5122