

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013067-R1
DATE: 03/23/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Caoba Doors
CODE: 588-1
REVISION DATE: 11/27/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Caoba Doors 4918 Cedar Avenue Philadelphia, PA 19143	Mahogany Outswing Single French Wood Casement Window Configuration: X Glazing: Laminate-3/16" Annealed Glass/ 0.090" SGP Interlayer by Kuraray/ 3/16" Annealed Glass or Insulating Glass-Ext-1/4" Tempered Glass/ Int-Laminate-3/16" Annealed Glass/ 0.090" SGP Interlayer by Kuraray/ 3/16" Annealed Glass Frame: W-1372mm(54") H-2134mm(84") Vent: W-1321mm(52") H-2086mm(82.13") DLO: W-1168mm(46") H-1908mm(75.13")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±4788 Pa (100 psf) Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories
Report No: CTLA 3023W-2/CTLA 1806W
Expiration Date: November 30, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ Fax: (804) 684-5122