

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013068-R1
DATE: 03/23/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Caoba Doors
CODE: 588-1
REVISION DATE: 11/27/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Caoba Doors</p> <p>4918 Cedar Avenue</p> <p>Philadelphia, PA 19143</p>	<p style="text-align: center;">Mahogany Outswing Double French</p> <p style="text-align: center;">Wood Casement Window</p> <p style="text-align: center;">Configuration: XX</p> <p style="text-align: center;">Glazing: Laminate-3/16" Annealed Glass/ 0.090" SGP Interlayer by Kuraray/ 3/16" Annealed Glass or Insulating Glass-Ext-1/4" Tempered Glass/ Int-Laminate-3/16" Annealed Glass/ 0.090" SGP Interlayer by Kuraray/ 3/16" Annealed Glass</p> <p>Frame: W-1372mm(54") H-2134mm(84")</p> <p>Vent: W-648mm(25.5") H-2088mm(82.22")</p> <p>DLO: W-495mm(19.5") H-1908mm(75.13")</p>

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±3352 Pa (70 psf) Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories
 Report No: CTLA 3023W-1
 Expiration Date: November 30, 2027

Administrator's Signature: _____

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124/ Fax: (804) 684-5122