

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI009976-R3
DATE: 08/14/2009
CERTIFICATION PROGRAM: Structural
COMPANY: Milliken
CODE: M-994-1
REVISION DATE: 12/12/2017

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Milliken Millwork, Inc. 6361 Sterling Drive PO Box 667 Sterling Heights, MI 48311	Series "Standard Door" Single Leaf Full Lite In-Swing Fiberglass Door w/Wood Frame Assembly Configuration: X Glazing: Insulating Glass (Tempered) <u>STP PSF</u> Frame: W-3'1" Panel: W-3'0" Pos+58.0 H-6'10" H-6'7" Neg-58.0

SPECIFICATION	PRODUCT RATING
ASTM E283/E331/E330	Design Pressure: +45/-45 psf

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-10570-4
Expiration Date: December 31, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122