

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013968
DATE: 02/08/2018
CERTIFICATION PROGRAM: Fire
COMPANY: Gem State
CODE: 2403-1
EXPIRATION DATE: 02/28/2022

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Gem State Doors & Millwork</p> <p>608 Carnation Drive</p> <p>Nampa, Idaho 83653</p>	<p>Plastpro's 20 Minute Positive Pressure Fire Door Assemblies w/o Hose Stream</p> <p>Manufacturer Specific Fire Doors for Single or Double Swing Installation in 20 Minute Locations</p> <p style="text-align: center;">1/2" Minimum Latch Throw Single or Double Swing Only</p> <p style="text-align: center;">Maximum Size: 3'0" x 8'0" Minimum Thickness: 1-3/4"</p>

SPECIFICATION	PRODUCT RATING
<p>NFPA 252 (1999)</p> <p>UL 10C (2009)</p> <p>UBC Standard 7-2 (1997)</p>	<p style="text-align: center;">20 Minute-Positive Pressure Without Hose Stream</p> <p>Category B Door-Additional Edge Seal Required <small>(unless specified in individual manufacturer's listing)</small></p> <p style="text-align: center;">For Use in Category C Frame <small>(or may also be installed in Category C-Proprietary in accordance with individual manufacturer's listing)</small></p>

TEST REPORT
<p>Intertek Test Report No: 3182549MID-005, 100644112MID-002, 100644112MID-004, 3178456MID-003, 3182549MID-005b, 100359215MID-010b</p>

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122