

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012053-R2
DATE: 07/09/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Orepac
CODE: 1234-1
REVISION DATE: 03/14/2018

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
OrePac Building Products 30160 SW Orepac Avenue Wilsonville, OR 97070	Series "CSA Glazed" Glazed In-Swing Fiberglass Side-Hinged Door w/Glazed Sidelites Configuration: OXO Glazing: Insulating Glass (Tempered) Frame: W-1740mm(68.50") H-2073mm(81.62") Panel: W-910mm(35.93") H-2008mm(79.06") Sidelite: W-356mm(14.00") H-2013mm(79.25") DLO: W-151mm(5.63") H-1599mm(62.93")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09	Class R PG75 1740 x 2073 (69 x 82)-LW SHD Design Pressure: 3600 Pa (75 psf) Negative Design Pressure: 3600 Pa (75 psf) Water Penetration Resistance Test Pressure: 260 Pa(5.43 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: Architectural Testing Incorporated
Report No: D6427.03-501-47
Expiration Date: March 31, 2020

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122