

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014139
DATE: 06/19/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Titan Glass
CODE: 2447-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Titan Glass & Aluminum, LLC 450 West 27th Avenue Hialeah, FL 33010	Series "3070" Aluminum Fixed Window Assembly Configuration: OOO Glazing: Monolithic-1/4" Tempered Glass/0.060" Kuraray Trosifol PVB Interlayer/1/4" Tempered Glass Frame: W-4648mm(183") H-3658mm(144") DLO: W-1449mm(57") H-3505mm(138")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±5746 Pa (120 psf) Water Penetration Resistance Test Pressure: 934 Pa (19.5 psf) Small Missile Impact Rated

Product Tested By: Fenestration Testing Laboratory, Inc.
Report No: FTL 9591
Expiration Date: April 30, 2022

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122