

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI005312.02-R4  
DATE: 03/22/2012  
CERTIFICATION PROGRAM: Structural  
COMPANY: Therma-Tru  
CODE: T-052-1  
REVISION DATE: 08/08/2018

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Therma-Tru Corporation</b> <b>118 Industrial Drive</b> <b>Edgerton, OH 43517</b>	<b>"Traditions Series"</b> <b>In-Swing &amp; Out-Swing Opaque</b> <b>Wood Edge Steel Door w/Glazed Sidelites</b>  Configuration: OXO Glazing: Insulating Glass (Tempered) Frame: W-1817mm(71.5")    H-2083mm(82") Panel: W-931mm(36.63")    H-2013mm(79.25") DLO: W-182mm(7.13")    H-1604mm(63.125")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure = +60/-60 psf</b> <b>Large Missile Impact Rated</b> Qualifies Configurations: OX/XO/OXO

Product Tested By: ETC, Inc.  
Report No: ETC 01-741-11004.0/W-1864/W-1872  
Expiration Date: **March 31, 2026**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Shi".

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122