

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012084-R1
DATE: 08/06/2014
CERTIFICATION PROGRAM: Fire
COMPANY: Benbilt
CODE: 855-1
EXPIRATION DATE: 08/31/2018
REVISION DATE: 08/16/2018

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
BenBilt Building Systems 123 Benbilt Place Greensburg, PA 15601	20 Minute Wood Door Frame Manufacturer Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations Single Swing Only Single Door Maximum Size: 3'0" x 6'8" Minimum Thickness: 4-9/16"

SPECIFICATION	PRODUCT RATING
NFPA 252 (2012) UBC Standard 7-2 (1994)	20 Minute - With Hose Stream Neutral Pressure Category C Frame

TEST REPORT
Intertek Test Report No.: 3020209

A handwritten signature in black ink, appearing to be "S. M.", written over a horizontal line.

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Fax: (804) 684-5122