

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012497-R1  
**DATE:** 01/29/2015  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Abritek  
**CODE:** 1629-1  
**REVISION DATE:** 04/16/2019

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Abritek Windows and Doors</b> <b>5195 127E Rue</b> <b>Saint-Georges de Beauce, QC G5Y 5B9</b>	<b>Series "4467/4600 (4.5")"</b> <b>Vinyl Fixed Window</b>  Configuration: O Glazing: Insulating Glass (Annealed)  Frame: W-1842mm(72.50") H-1842mm(72.50") DLO: W-1721mm(67.75") H-1721mm(67.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>CSA A440S1-09</b>	<b>Class CW-PG50 1842 x 1842 (72 x 72)-FW</b> <b>Design Pressure: 2400 Pa (50 psf)</b> <b>Negative Design Pressure: 2400 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 720 Pa(15.00 psf)</b> <b>Canadian Air Infiltration/Exfiltration Level: Fixed</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-310-4455  
Expiration Date: September 30, 2022

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122