

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013721.02-R2  
**DATE:** 05/23/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Henselstone  
**CODE:** 755-1  
**REVISION DATE:** 06/26/2019

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Henselstone Window &amp; Door Systems</b> <b>113 Henselstone Lane</b> <b>Amissville, VA 20106</b>	<b>Series "Wood Segmented"</b> <b>Glazed Wood Side Hinged Door</b>  Configuration: XXX Glazing: IG-3/16" Heat Strengthened Glass/ Laminate-3/16" Heat Strengthened Glass/0.090" Kuraray SGP Interlayer/3/16" Heat Strengthened Glass  Frame: W-3924mm(154.5") H-3048mm(120") Panel: W-1238mm(48.75") H-2989mm(117.69") DLO: W-1073mm(42.25") H-2759mm(108.63")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/203-94</b> (With Deviations - Only one specimen tested)	<b>Design Pressure: ±3112 Pa (65 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: Architectural Testing, Inc.  
Report No: B9271.03-550-18  
Expiration Date: May 31, 2025

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122