

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013728.02-R2  
**DATE:** 05/24/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Henselstone  
**CODE:** 755-1  
**REVISION DATE:** 06/26/2019

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Henselstone Window &amp; Door Systems</b> <b>113 Henselstone Lane</b> <b>Amissville, VA 20106</b>	<b>Glazed Wood Outswing</b> <b>Side-Hinged French Doors</b> <b>w/Transom</b>  Configuration: O/XX Glazing: IG-1/4" Heat Strengthened Glass/ Laminate-1/4" Heat Strengthened Glass/0.090" Kuraray SGP Interlayer/1/4" Heat Strengthened Glass  Frame: W-2130mm(33.88") H-3661mm(144.13") Panel: W-1054mm(41.5") H-2972mm(117") DLO: W-797mm(31.38") H-2715mm(106.88")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3112 Pa (65 psf)</b> <b>Positive Design Pressure: 3112 Pa (65 psf)</b> <b>Negative Design Pressure: 3735 Pa (78 psf)</b> <b>Large Missile Impact Rated</b> Water Penetration Resistance Test Pressure: 467 Pa (9.75 psf)

Product Tested By: Aerican Test Lab of South Florida  
Report No: ATLSF 1010.02-07  
Expiration Date: May 31, 2025

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122