

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012610-R2
DATE: 04/12/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Sky-Frame
CODE: 2114-1
REVISION DATE: 12/19/2019

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Sky-Frame, Inc. Langfeldstrasse 111 Frauenfeld, Switzerland CH-8500	Series "Sky-Frame 2" Aluminum Horizontal Sliding Window Configuration: OX Glazing: IG Interior-Laminate-4mm Annealed Glass/ 0.120" SentryGlas® Plus/4mm Annealed Glass/ Exterior-6mm Tempered Glass Frame: W-4089mm(161") H-3200mm(126") Panel: W-1975mm(77.75") H-3048mm(120")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±2394 Pa (50 psf) Large Missile Impact Rated Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf)

Product Tested By: Architectural Testing, Inc.
Report No: E2663.01-250-44
Expiration Date: **December 31, 2024**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122