

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012047-R2
DATE: 07/08/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 01/15/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, WV 26104	Series "400/500/5400/5400S" Twin Vinyl Double Hung Windows w/Two-Piece Zero Mullion New Construction Frame Configuration: X/X/X/X Glazing: Insulating Glass (Annealed) Frame: W-2032mm(80.00") H-1600mm(63.00") Sash: W-959mm(37.75") H-800mm(31.50") DLO: W-870mm(34.25") H-711mm(28.00")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG40 2032 x 1600 (80 x 63)-H Design Pressure: 1920 Pa (40 psf) Negative Design Pressure: 1920 Pa (40 psf) Water Penetration Resistance Test Pressure: 290 Pa (6.06 psf)

Product Tested By: Architectural Testing, Inc.
Report No: D7350.01-501-47/W-1920
Expiration Date: **April 30, 2026**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124/ Fax: (804) 684-5122